

# CuratorKit Event Calendar Accessibility Conformance Report

## International Edition

(Based on VPAT<sup>®</sup> Version 2.4)

**Name of Product/Version:** CuratorKit Event Calendar 1.0

**Report Date:** 2 Dec, 2022

**Product Description:** Program/event listing calendar for libraries.

**Contact Information:** admin@curatorkit.com

### Notes:

Event Calendar, located at \*.curatorkit.com/cal, is the public facing side of the CuratorKit web application where \* is the subdomain assigned to the CuratorKit account. Each CuratorKit account includes options to customize their Event Calendar component background and font colors with live warnings that alert the user if the chosen color value would limit accessibility. For this reason, the actual measure of accessibility varies with account.

This report is an update to the original 11/29/22 VPAT where a total of 6 criterion have been since updated from partially-supportive to supportive.

The testing process was carried out in compliance to the WCAG 2.1 AA guidelines. The product was found to be overall mostly supportive, with 37 applicable criterion supportive, 2 partially supportive, and 1 not supported.

As a summary, there are some elements and functionalities that are not being supported such as accordion not accessible. However, the page is navigable, and, in most cases, there is a solution for the features that are not being supported.

Accessibility for Americans with Disabilities Act (ADA) website compliance requires all public and (large) private organizations to make their websites and web content conform with mandatory accessibility standards (WCAG 2.0). WCAG is simply a set of formal guidelines on how to develop accessible web content. These standards represent a higher level of accessibility than 508 standards, although they are identical or very similar. WCAG focuses primarily on HTML accessibility.

## Evaluation Methods Used:

The product was tested against all of the applicable 50 success criteria within the Web Content Accessibility Guidelines (WCAG) 2.1 Conformance Level A and AA. The testing methodology included a combination of automated testing, manual testing conducted via paired testing methodology involving two testers, one of them is a non-sighted and the other is a sighted accessibility expert. This testing methodology ensures that every aspect related to accessibility and user experience is included in our analysis. Below is a list of some of the technologies and environments used:

- Assistive technologies – NVDA, JAWS, Voiceover
- Automated tools – aXe, Color Contrast Analyzer
- Browsers – Chrome, Safari & Firefox
- Accessibility plugins – aXe
- Desktop- Windows 10

The combinations of technologies used were the following:

- Windows with Firefox and NVDA
- Windows with Chrome and NVDA
- Windows with Chrome and JAWS
- Windows with Chrome and aXe
- Windows with Google Chrome and Zoom
- Windows with Google Chrome and Color Contrast Analyzer

## Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No )
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes) Level AA (Yes ) Level AAA (No )
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	(Yes)
<a href="#">EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V3.1.1 (2019-11)</a>	(No )

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.

- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 - Documentation
- Revised Section 508: Chapter 5 - 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 - 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

**Table 1: Success Criteria, Level A**

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.1.1 Non-text Content</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.1.1 (Web)</li> <li>• 10.1.1.1 (Non-web document)</li> <li>• 11.1.1.1.1 (Open Functionality Software)</li> <li>• 11.1.1.1.2 (Closed Functionality Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p><b>Remarks:</b> Proper alt text has been provided to all of the graphics present in the application.</p>
<p><a href="#">1.2.1 Audio-only and Video-only (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.1 (Web)</li> <li>• 10.1.2.1 (Non-web document)</li> <li>• 11.1.2.1.1 (Open Functionality Software)</li> <li>• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Not Applicable</b></p>	<p><b>Remark:</b> There is no audio only and video only content present in the application.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.2.2 Captions (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.2 (Web)</li> <li>• 10.1.2.2 (Non-web document)</li> <li>• 11.1.2.2 (Open Functionality Software)</li> <li>• 11.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Not Applicable</b></p>	<p><b>Remark:</b></p> <p>There is no multimedia content present in the application.</p>
<p><a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.3 (Web)</li> <li>• 10.1.2.3 (Non-web document)</li> <li>• 11.1.2.3.1 (Open Functionality Software)</li> <li>• 11.1.2.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Not Applicable</b></p>	<p><b>Remark:</b></p> <p>There is no multimedia content present in the application.</p>
<p><a href="#">1.3.1 Info and Relationships</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.1 (Web)</li> <li>• 10.1.3.1 (Non-web document)</li> <li>• 11.1.3.1.1 (Open Functionality Software)</li> </ul>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>Screen reader properly identifies most of the information available in the application and the screen reader user is easily able to perceive the</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.1.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		relationships between an element and its role. However few exceptions are there:
<a href="#">1.3.2 Meaningful Sequence</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.3.2 (Web)</li> <li>• 10.1.3.2 (Non-web document)</li> <li>• 11.1.3.2.1 (Open Functionality Software)</li> <li>• 11.1.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<b>Remark:</b> Screen reader reads the content present in the application in a meaningful sequence with the help of arrow keys.
<a href="#">1.3.3 Sensory Characteristics</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.3.3 (Web)</li> <li>• 10.1.3.3 (Non-web document)</li> <li>• 11.1.3.3 (Open Functionality Software)</li> <li>• 11.1.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> </ul>	<b>Supports</b>	<b>Remark:</b> Information is conveyed in the form of symbol. '*' symbol is used to declare a field as required. It is written above form that '*' symbol means required field.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><a href="#">1.4.1 Use of Color</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.1 (Web)</li> <li>• 10.1.4.1 (Non-web document)</li> <li>• 11.1.4.1 (Open Functionality Software)</li> <li>• 11.1.4.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	<p><b>Remark:</b></p> <p>No color is used to indicate any type of information on the application.</p>
<p><a href="#">1.4.2 Audio Control</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.2 (Web)</li> <li>• 10.1.4.2 (Non-web document)</li> <li>• 11.1.4.2 (Open Functionality Software)</li> <li>• 11.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	<p><b>Remark:</b></p> <p>There is no such audio available in the application, which plays automatically as soon as the page is launched.</p>
<p><a href="#">2.1.1 Keyboard</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	<b>Partially Supports</b>	<p><b>Remark:</b></p> <p>Application has support for keyboard interaction, as</p>



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>most of the interactive elements are accessible using the keyboard commands. It works similarly for both screen reader and keyboard-only users. Except for below:</p> <p><b>Exceptions:</b></p> <p>1. Accordion is not accessible through tab/ arrow keys.</p>
<p><a href="#">2.1.2 No Keyboard Trap</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.2 (Web)</li> <li>• 10.2.1.2 (Non-web document)</li> <li>• 11.2.1.2 (Open Functionality Software)</li> <li>• 11.2.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>Application has a good support for keyboard interaction and there is no keyboard trap issue throughout the application.</p>
<p><a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.4 (Web)</li> <li>• 10.2.1.4 (Non-web document)</li> <li>• 11.2.1.4.1 (Open Functionality Software)</li> <li>• 11.2.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	<p><b>Not Applicable</b></p>	<p><b>Remark:</b></p> <p>There are no such character key shortcuts required in the application to operate any feature, which clashes with the predefined screen reader shortcuts.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b>2.2.1 Timing Adjustable</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.2.1 (Web)</li> <li>10.2.2.1 (Non-web document)</li> <li>11.2.2.1 (Open Functionality Software)</li> <li>11.2.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	<p><b>Remark:</b></p> <p>There is no session time out functionality in the application for which an option is provided to extend the session time.</p>
<p><b>2.2.2 Pause, Stop, Hide</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.2.2 (Web)</li> <li>10.2.2.2 (Non-web document)</li> <li>11.2.2.2 (Open Functionality Software)</li> <li>11.2.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	<p><b>Remark:</b></p> <p>There is no such functionality/activity available in the application, where there is a need to either Pause, Stop or Hide the content.</p>
<p><b>2.3.1 Three Flashes or Below Threshold</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	<b>Not Applicable</b>	<p><b>Remark:</b></p> <p>There is no flashing / blinking content present</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 9.2.3.1 (Web)</li> <li>• 10.2.3.1 (Non-web document)</li> <li>• 11.2.3.1 (Open Functionality Software)</li> <li>• 11.2.3.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		anywhere in the application.
<p><a href="#">2.4.1 Bypass Blocks</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.1 (Web)</li> <li>• 10.2.4.1 (Non-web document) - Does not apply</li> <li>• 11.2.4.1 (Open Functionality Software) - Does not apply</li> <li>• 11.2.4.1 (Closed Software) - Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) - Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) - Does not apply to non-web docs</li> </ul>	<b>Supports</b>	<p><b>Remark:</b></p> <p>Skip to main content link is present on the web page.</p>
<p><a href="#">2.4.2 Page Titled</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.2 (Web)</li> <li>• 10.2.4.2 (Non-web document)</li> <li>• 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>• 11.2.4.2 (Closed Software) - Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	<b>Supports</b>	<p><b>Remark:</b></p> <p>Descriptive and unique page title is provided for in the application.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><a href="#">2.4.3 Focus Order</a> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.4.3 (Web)</li> <li>• 10.2.4.3 (Non-web document)</li> <li>• 11.2.4.3 (Open Functionality Software)</li> <li>• 11.2.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p><b>Remark:</b></p> <p>The focus order is moving in a correct sequence through out the application.</p>
<p><a href="#">2.4.4 Link Purpose (In Context)</a> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.4.4 (Web)</li> <li>• 10.2.4.4 (Non-web document)</li> <li>• 11.2.4.4 (Open Functionality Software)</li> <li>• 11.2.4.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p><b>Remark:</b></p> <p>Appropriate link text is provided for all of the links available in the application.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 - Does not apply</p>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.</p>
<p><a href="#">2.5.2 Pointer Cancellation</a> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.2 (Web)</li> <li>• 10.2.5.2 (Non-web document)</li> <li>• 11.2.5.2 (Open Functionality Software)</li> <li>• 11.2.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 - Does not apply</p>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>Entire Application supports pointer cancellation as the down-event of the pointer is not used to execute any part of the function, elements trigger only by using the up-event.</p>
<p><a href="#">2.5.3 Label in Name</a> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.3 (Web)</li> <li>• 10.2.5.3 (Non-web document)</li> <li>• 11.2.5.3.1 (Open Functionality Software)</li> <li>• 11.2.5.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 - Does not apply</p>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>Visual label matches with the accessible or programmatic name for the elements.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.5.4 Motion Actuation</a> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.4 (Web)</li> <li>• 10.2.5.4 (Non-web document)</li> <li>• 11.2.5.4 (Open Functionality Software)</li> <li>• 11.2.5.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p><b>Not Applicable</b></p>	<p><b>Remark:</b></p> <p>There is no functionality in the application that can be operated by device motion or user motion.</p>
<p><a href="#">3.1.1 Language of Page</a> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.1 (Web)</li> <li>• 10.3.1.1 (Non-web document)</li> <li>• 11.3.1.1.1 (Open Functionality Software)</li> <li>• 11.3.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>Lang attribute 'En' is provided in the application.</p>
<p><a href="#">3.2.1 On Focus</a> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.1 (Web)</li> <li>• 10.3.2.1 (Non-web document)</li> <li>• 11.3.2.1 (Open Functionality Software)</li> <li>• 11.3.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>Application does not have any feature / functionality, which triggers automatically on receiving the focus.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><a href="#">3.2.2 On Input</a> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.2.2 (Web)</li> <li>• 10.3.2.2 (Non-web document)</li> <li>• 11.3.2.2 (Open Functionality Software)</li> <li>• 11.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p><b>Remark:</b></p> <p>Change of context does not happen anywhere in the application when changing the setting of any UI component.</p>
<p><a href="#">3.3.1 Error Identification</a> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.3.1 (Web)</li> <li>• 10.3.3.1 (Non-web document)</li> <li>• 11.3.3.1.1 (Open Functionality Software)</li> <li>• 11.3.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p><b>Remark:</b></p> <p>Error message implemented on site is present in textual format.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">3.3.2 Labels or Instructions</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.2 (Web)</li> <li>• 10.3.3.2 (Non-web document)</li> <li>• 11.3.3.2 (Open Functionality Software)</li> <li>• 11.3.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>Form fields present in the application have appropriate labels.</p>
<p><a href="#">4.1.1 Parsing</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.1 (Web)</li> <li>• 10.4.1.1 (Non-web document)</li> <li>• 11.4.1.1.1 (Open Functionality Software)</li> <li>• 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Does Not Supports</b></p>	<p><b>Remark:</b></p> <p>This evaluation requires code level check in order to validate the start and end tags, elements nesting according to specification, duplicate attribute etc. While reviewing the source code of application using axe tool, we came across code level issues that could cause parsing or compatibility concerns</p>
<p><a href="#">4.1.2 Name, Role, Value</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.2 (Web)</li> <li>• 10.4.1.2 (Non-web document)</li> <li>• 11.4.1.2.1 (Open Functionality Software)</li> </ul>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>Most of the components present in the application have proper name/label, role/state and value, which helps screen reader user to understand the</p>



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>11.4.1.2.2 (Closed Software) – Not required</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		actual purpose and nature of these components. However, there are a few exceptions where Name/Role/Value is not associated properly for the elements.

**Table 2: Success Criteria, Level AA**

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.2.4 Captions (Live)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.4 (Web)</li> <li>10.1.2.4 (Non-web document)</li> <li>11.1.2.4 (Open Functionality Software)</li> <li>11.1.2.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	<p><b>Remark:</b></p> <p>There is no live multimedia content present in the application.</p>
<p><a href="#">1.2.5 Audio Description (Prerecorded)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.5 (Web)</li> <li>10.1.2.5 (Non-web document)</li> </ul>	Not Applicable	<p><b>Remark:</b></p> <p>There is no multimedia content present in the application which requires audio description.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.1.2.5 (Open Functionality Software)</li> <li>• 11.1.2.5 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>1.3.4 Orientation</b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.4 (Web)</li> <li>• 10.1.3.4 (Non-web document)</li> <li>• 11.1.3.4 (Open Functionality Software)</li> <li>• 11.1.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<b>Supports</b>	<p><b>Remark:</b></p> <p>Application provides supports and works equally in both landscape/portrait orientation modes.</p>
<p><b>1.3.5 Identify Input Purpose</b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.5 (Web)</li> <li>• 10.1.3.5 (Non-web document)</li> <li>• 11.1.3.5.1 (Open Functionality Software)</li> <li>• 11.1.3.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<b>Supports</b>	<p><b>Remark:</b></p> <p>Purpose of each input fields collecting information about the user is programmatically determined. Auto complete attribute is implemented for the input fields.</p>
<p><b>1.4.3 Contrast (Minimum)</b> (Level AA)</p> <p>Also applies to:</p>	<b>Supports</b>	<p><b>Remark:</b></p>

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.3 (Web)</li> <li>• 10.1.4.3 (Non-web document)</li> <li>• 11.1.4.3 (Open Functionality Software)</li> <li>• 11.1.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>Application has sufficient contrast ratio i.e. 4.5:1 for most of the elements present in the application. However, account owners may set component foreground and background colors, allowing the possibility for contrast ratio not being sufficient for different elements.</p>
<p><a href="#">1.4.4 Resize text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.4 (Web)</li> <li>• 10.1.4.4 (Non-web document)</li> <li>• 11.1.4.4.1 (Open Functionality Software)</li> <li>• 11.1.4.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p><b>Remark:</b></p> <p>Application is fully operable and readable while resizing the content using 200% browser zoom.</p>
<p><a href="#">1.4.5 Images of Text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.5 (Web)</li> <li>• 10.1.4.5 (Non-web document)</li> <li>• 11.1.4.5.1 (Open Functionality Software)</li> <li>• 11.1.4.5.2 (Closed Software) - Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> </ul>	<p><b>Not Applicable</b></p>	<p><b>Remark:</b></p> <p>There is no such information present in the application, which is in the form of Image of text.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><a href="#">1.4.10 Reflow</a> (Level AA 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.10 (Web)</li> <li>• 10.1.4.10 (Non-web document)</li> <li>• 11.1.4.10 (Open Functionality Software)</li> <li>• 11.1.4.10 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	<b>Supports</b>	<p><b>Remark:</b></p> <p>Application is fully operable and readable while resizing the content using 400% browser zoom.</p>
<p><a href="#">1.4.11 Non-text Contrast</a> (Level AA 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.11 (Web)</li> <li>• 10.1.4.11 (Non-web document)</li> <li>• 11.1.4.11 (Open Functionality Software)</li> <li>• 11.1.4.11 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	<b>Supports</b>	<p><b>Remark:</b></p> <p>Application has sufficient contrast ratio i.e. 4.5:1 for most of the elements present in the application. However, account owner may set component customized foreground and background colors, allowing the possibility for contrast ratio not being sufficient for different elements.</p>
<p><a href="#">1.4.12 Text Spacing</a> (Level AA 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.12 (Web)</li> <li>• 10.1.4.12 (Non-web document)</li> </ul>	<b>Supports</b>	<p><b>Remark:</b></p> <p>Application provides support for people with low vision and cognitive disabilities as it allows users to view the application content in their desired text</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.1.4.12 (Open Functionality Software)</li> <li>• 11.1.4.12 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		(Letter, word, line and paragraph) spacing.
<p><a href="#">1.4.13 Content on Hover or Focus</a> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.13 (Web)</li> <li>• 10.1.4.13 (Non-web document)</li> <li>• 11.1.4.13 (Open Functionality Software)</li> <li>• 11.1.4.13 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	<b>Supports</b>	<p><b>Remark:</b></p> <p>There are web element available in the application which triggers the additional content after receiving pointer hover or keyboard focus.</p>
<p><a href="#">2.4.5 Multiple Ways</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.5 (Web)</li> <li>• 10.2.4.5 (Non-web document) – Does not apply</li> <li>• 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.5 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<b>Not Applicable</b>	<p><b>Remark:</b></p> <p>Multiple ways of navigation is not required in portal.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.4.6 Headings and Labels</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.6 (Web)</li> <li>• 10.2.4.6 (Non-web document)</li> <li>• 11.2.4.6 (Open Functionality Software)</li> <li>• 11.2.4.6 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Support</b></p>	<p><b>Remark:</b></p> <p>Headings present in the application are descriptive enough to understand their purpose and sufficient label is provided for each form field wherever descriptive label is needed.</p>
<p><a href="#">2.4.7 Focus Visible</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.7 (Web)</li> <li>• 10.2.4.7 (Non-web document)</li> <li>• 11.2.4.7 (Open Functionality Software)</li> <li>• 11.2.4.7 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Support</b></p>	<p><b>Remark:</b></p> <p>Tab focus indicator is visible on each and every interactive elements.</p>
<p><a href="#">3.1.2 Language of Parts</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.2 (Web)</li> <li>• 10.3.1.2 (Non-web document)</li> <li>• 11.3.1.2 (Open Functionality Software) - Does not apply</li> </ul>	<p><b>Not Applicable</b></p>	<p><b>Remark:</b></p> <p>Application content is available in English language only. There is no change in language throughout the application.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.3.1.2 (Closed Software) - Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>3.2.3 Consistent Navigation</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.3 (Web)</li> <li>• 10.3.2.3 (Non-web document) - Does not apply</li> <li>• 11.3.2.3 (Open Functionality Software) - Does not apply</li> <li>• 11.3.2.3 (Closed Software) - Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) - Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) - Does not apply to non-web docs</li> </ul>	<b>Support</b>	<p><b>Remark:</b></p> <p>Repeated components are occurring in the same order on every page of the application, which helps screen reader and cognitive user to predict the location of different web elements on each page.</p>
<p><b>3.2.4 Consistent Identification</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.4 (Web)</li> <li>• 10.3.2.4 (Non-web document) - Does not apply</li> <li>• 11.3.2.4 (Open Functionality Software) - Does not apply</li> <li>• 11.3.2.4 (Closed Software) - Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) - Does not apply to non-web software</li> </ul>	<b>Support</b>	<p><b>Remark:</b></p> <p>Elements that have the same functionality across multiple pages in the application have same labels or same name.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) - Does not apply to non-web docs</li> </ul>		
<p><b>3.3.3 Error Suggestion</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.3.3 (Web)</li> <li>10.3.3.3 (Non-web document)</li> <li>11.3.3.3 (Open Functionality Software)</li> <li>11.3.3.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p><b>Remark:</b></p> <p>Error messages which appears are descriptive and precise.</p>
<p><b>3.3.4 Error Prevention (Legal, Financial, Data)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.3.4 (Web)</li> <li>10.3.3.4 (Non-web document)</li> <li>11.3.3.4 (Open Functionality Software)</li> <li>11.3.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	<p><b>Remark:</b></p> <p>This success criterion is related to legal commitment, financial data, etc., which involves serious risk, if no option, is provided for user to review or revert the data before submission. However, application does not have any such forms, where such risk is associated.</p>
<p><b>4.1.3 Status Messages</b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	<b>Support</b>	<p><b>Remark:</b></p> <p>Screen reader should notify about alert/</p>



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 9.4.1.3 (Web)</li> <li>• 10.4.1.3 (Non-web document)</li> <li>• 11.4.1.3 (Open Functionality Software)</li> <li>• 11.4.1.3 (Closed Software) - Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 - Does not apply</p>		notification/ message which appears in the application.

**Table 3: Success Criteria, Level AAA**

Notes: Not Applicable

# Revised Section 508 Report

Notes:

## Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	<b>Remark:</b> Screen reader equally supports the application. Users using these screen readers can easily operate the application. However, there are some instances, where a screen reader user will have difficulties in understanding the information.
302.2 With Limited Vision	Supports	<b>Remark:</b> Color scheme is appropriate and color contrast ratio of most of the interactive elements is equal to or greater than standard ratio of 4.5:1. However, account owner may set component customized foreground and background colors, allowing the possibility for contrast ratio not being sufficient for different elements.
302.3 Without Perception of Color	Not Applicable	<b>Remark:</b>

Criteria	Conformance Level	Remarks and Explanations
		No color is used to indicate any type of information on page such as bulleted point, section headings, link, button, etc.,
302.4 Without Hearing	<b>Not Applicable</b>	No multimedia content is present in the application.
302.5 With Limited Hearing	<b>Not Applicable</b>	No multimedia content is present in the application.
302.6 Without Speech	<b>Not Applicable</b>	<b>Remark:</b> Speech is not required to complete any task or activity.
302.7 With Limited Manipulation	<b>Not Applicable</b>	<b>Remark:</b> There are no such complicated keyboard actions required in the application to perform any task, which requires simultaneous actions or fine motor control.
302.8 With Limited Reach and Strength	<b>Partially Supports (Keyboard)</b>	<b>Remark:</b> Application has a good support for keyboard interaction, as most of the

Criteria	Conformance Level	Remarks and Explanations
		<p>interactive elements are accessible using the keyboard commands. It works similarly for both screen reader and keyboard-only users. Except for below:</p> <p><b>Exceptions:</b></p> <ol style="list-style-type: none"> <li>1. Accordion is not accessible through tab/ arrow keys</li> </ol>
302.9 With Limited Language, Cognitive, and Learning Abilities	<b>Supports</b>	<p><b>Remark:</b></p> <p>Many features in the application have good support for users with cognitive disabilities due to following reasons:</p> <ol style="list-style-type: none"> <li>1. Application does not have any moving text/images/animations, which disrupts in reading.</li> <li>2. Application does not have any multimedia, which plays automatically and confuses the user.</li> <li>3. Application does not have any flashing object, which causes seizure.</li> </ol>

## Chapter 4: [Hardware](#)

Notes: This website is not subjected to the requirements of this section

## Chapter 5: [Software](#)

Notes: This website is not subjected to the requirements of this section

## Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>601.1 Scope</b>	Heading cell - no response required	Heading cell - no response required
<a href="#">602 Support Documentation</a>	Heading cell - no response required	Heading cell - no response required
602.2 Accessibility and Compatibility Features	<b>Supports</b>	<b>Remark:</b> A link to this VPAT in PDF form appears in the modal when clicking “Event Calendar Info” in Accessibility Options.
602.3 Electronic Support Documentation	See <a href="#">WCAG 2.1</a> section	Application provides Help content pages which gives information on available content. People with visual disability are not able to read and understand this information easily, as user guide PDFs are not tagged for screen reader user.
602.4 Alternate Formats for Non-Electronic Support Documentation	<b>Not Applicable</b>	<b>Remark:</b> Since, the application provides information through the digital medium and it allows user to access the ‘Help’ feature for further help regarding the digital content and documentation. There is no such requirement of alternate formats for non-electronic support documentation as support services are

Criteria	Conformance Level	Remarks and Explanations
		available electronically.
<a href="#"><u>603 Support Services</u></a>	Heading cell - no response required	Heading cell - no response required
603.2 Information on Accessibility and Compatibility Features	<b>Support</b>	A link to this VPAT in PDF form appears in the modal when clicking “Event Calendar Info” in Accessibility Options.
603.3 Accommodation of Communication Needs	<b>Support</b>	There is a tech support email address mentioned modal when clicking “Event Calendar Info” in Accessibility Options.